



3. Find the arc length of the graph of  $y = \frac{3}{2}x^{\frac{2}{3}} + 4$  on the interval  $[1, 27]$ . (8 points)
4. Find the area of the surface of revolution generated by the graph  $y = \frac{x}{2}$  over the interval  $[0, 6]$  revolved around the  $x$ -axis. (10 points)
5. Find the work done in lifting a 2 ton satellite from the surface of the moon to a height of 50 miles. The weight given is the weight of the satellite on the moon. Assume that the radius of the moon is 1100 miles. (Gravity:  $F = \frac{C}{x^2}$ ) (10 points)

6. For the integral  $\int_2^5 \ln x dx$ , first calculate the number of subdivisions  $n$  that will be needed to have an Error using Simpson's Rule of less than or equal to 0.001, and then calculate the value of the integral using that method. (16 points)

7. Determine whether the series  $\sum_{n=1}^{\infty} \sin(1)$  converge. And if so, to what. (8 points)

8. For the series  $\sum_{n=4}^{\infty} \frac{1}{3n^2 - 2n - 15}$  explain which test you would use and why to determine the convergence or divergence. Then determine which it does. (12 points)

9. Perform three steps of Euler's method on the differential equation  $y' = t\sqrt{\ln(y)}$ , starting at  $(t, y) = (0, 1)$ . Use  $\Delta x = h = 0.1$ . What is your estimate for  $y_3$ ? (10 points)

10. Determine whether the polar conics below are circles, ellipses, parabolas or hyperbolas. What is the eccentricity of each graph. (5 points each)

a.  $r = \frac{4}{1 + \cos \theta}$

b.  $r = 2 \sin \theta$

c.  $r = \frac{6}{3 + 2 \sin \theta}$

d.  $r = \frac{1}{1 + 2 \cos \theta}$

11. Find the area of the surface generated by revolving the curve  $x = t, y = 4 - 2t$   $[0, 4]$  about the x-axis. (10 points)

12. Find the area of one petal of the graph  $r = 3 \sin 4\theta$ . (10 points)

Part 2: In this section you will record your answers on paper along with your work. After scanning, submit them to a Canvas dropbox as directed. These questions will be graded by hand.

13. Integrate using an appropriate method. (12 points each)

a.  $\int x^3 e^{x^2} dx$

b.  $\int x \sec^2(x^2 - 1) \tan^2(x^2 - 1) dx$

c. 
$$\int \frac{\sqrt{x^2 - 36}}{x} dx$$

d. 
$$\int \frac{6x}{x^3 - 8} dx$$

14. Determine if the infinite series converge or diverge. Explain your reasoning, and which test you used to determine it. (10 points each)

a. 
$$\sum_{k=1}^{\infty} \frac{2^k k!}{k^k}$$

b. 
$$\sum_{k=1}^{\infty} \sin^2\left(\frac{1}{k}\right)$$

15. Determine if the alternating series converges conditionally, absolutely or diverges. Explain your reasoning. (8 points each)

$$\sum_{k=1}^{\infty} (-1)^k k^{1/k}$$

16. Rewrite the expression  $y = \frac{x}{(x^3+1)^2}$  as a power series. (12 points)

17. To what value (if any) does the geometric series  $\sum_{n=0}^{\infty} 2^n 3^{-n}$  converge? If it fails to converge, explain why. (6 points)

18. Find the solution to the initial value problem  $u'(x) = \frac{1}{x^2+16}$ ,  $u(0) = 2$ . (6 points)

19. Given the differential equation  $\frac{dy}{dx} = y(6-y)(y-1)$ . Sketch the phase plane for the equation and use that information to graph the key features of the direction field such as the equilibria

(steady state solutions) and the sign of the slope in each region. Label each equilibrium as stable, unstable or semi-stable. (12 points)

20. Solve the separable differential equation  $y' = \frac{x\sqrt{1-y^2}}{x^2+4}$ . (10 points)

21. Find the slope of the tangent line to the graph  $r = 1 - 4 \cos \theta$  when  $\theta = \frac{\pi}{6}$ . You may use the formula  $\frac{dy}{dx} = \frac{f'(\theta) \sin \theta + f(\theta) \cos \theta}{f'(\theta) \cos \theta - f(\theta) \sin \theta}$ . [Hint: to write the line, you may do it in rectangular coordinates, but you will have to convert the point on the polar graph to rectangular as well.] (8 points)

22. Find the area of the region common to the circle  $r = 3 \cos \theta$ , and  $r = 1 + \cos \theta$ . Sketch the region. (12 points)



