

**Instructions:** Show all work. Be sure to answer all parts of each question. Use exact answers unless specifically asked to round.

1. Solve the differential equation 
$$y' = \frac{x^2 - y^2}{xy}$$
. homogeneous, degree  $Z$ 

$$\sqrt{x} + v = \frac{x^2 - v^2 x^2}{\sqrt{x^2}} = \frac{x^2 (1 - v^2)}{x^2 (v)} \qquad \sqrt{x} = \frac{1 - v^2}{v} - v \left(\frac{v}{v}\right) = \frac{1 - 2v^2}{v}$$

$$\int \frac{\sqrt{1-2v^2}}{1-2v^2} dv = \int \frac{1}{x} dx$$

$$\overrightarrow{Ax} = \sqrt[4]{1-2v^2} \Rightarrow \overrightarrow{Ax^4} = (-2v^2) \Rightarrow 2v^2 = (-\frac{A'}{X^4})$$

$$V^2 = \frac{1}{2} - \frac{A}{X^4} \implies V = \pm \sqrt{\frac{1}{2} - \frac{A}{X^4}}$$

- 2. Suppose a tank of water initially contains 50L of pure water. Salt water, with a concentration of 100g/L is pumped into the tank at a rate of 2L/sec. Suppose that the well-mixed solution is pumped out of the tank at the same rate.
  - a. Write a differential equation that models this situation.

$$R_{in} = \frac{100 \, g}{K} \cdot \frac{2K}{Sec} = 200 \, \frac{g}{Sec}$$

$$R_{out} = \frac{A}{59k} \cdot \frac{2K}{Sec} = \frac{A}{25} \, \frac{g}{Sec}$$

$$\frac{dA}{dt} = 200 - \frac{A}{26}$$

$$A(0) = 0$$

b. Solve the differential equation in part a. (You may want to put work on the back.)

$$\frac{dA}{dt} = \frac{1}{25}(A - 5000) \int \frac{dA}{A - 5000} = \int \frac{1}{25} dt \implies |n| A - 5000| = \frac{1}{25} ttC$$

$$A - 5000 = \frac{1}{46} = A(t) = 5000 + A_0 = \frac{1}{25} ttC$$

$$A(t) = 5000 - 5000 = \frac{1}{125} tt$$

$$A(t) = 5000 - 5000 = \frac{1}{125} tt$$

c. What is the equilibrium amount of salt in the tank? How long will it take to achieve 99% of this concentration? You may round your answer here to two decimal places.

5000g. 
$$\frac{4950}{-5000} = \frac{5000 - 5000}{-5000} = \frac{1}{5000} = \frac{1}{50000} = \frac{1}{5000$$